


PageSpeed Insights

Mobile



59 / 100 Speed

! Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://betonpsk.ru/wp-content/cache/busting/1/wp-includes/js/jquery/jquery-1.12.4-wp.js>
- <https://maps.googleapis.com/maps/api/js?v=3&key=AlzaSyDySGE4EC6WXq4w0DZD4EI5-3FYnfWL3fA&ver=4.17.1>

Mobile

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 169KiB (42% reduction).

- Compressing <https://betonpsk.ru/wp-content/uploads/2019/10/orig.jpg> could save 148KiB (43% reduction).
- Compressing https://betonpsk.ru/wp-content/uploads/2019/03/thumbnail_789323_580x3070.jpg could save 19.1KiB (41% reduction).
- Compressing <https://betonpsk.ru/wp-content/uploads/2019/11/logo333.png> could save 1.9KiB (34% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=UA-134328005-4> (15 minutes)
- https://connect.facebook.net/en_US/sdk.js (20 minutes)
- <https://maps.googleapis.com/maps/api/js?v=3&key=AlzaSyDySGE4EC6WXq4w0DZD4EI5-3FYnfWL3fA&ver=4.17.1> (30 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Mobile

Reduce server response time

In our test, your server responded in 0.57 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 671B (39% reduction).

- Minifying https://connect.facebook.net/en_US/sdk.js could save 671B (39% reduction) after compression.

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 68% of the final above-the-fold content could be rendered with the full HTML response.
- [Click to see the screenshot with only the HTML response: snapshot:4](#)

Mobile

4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

92 / 100 User Experience

Consider Fixing:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 453 CSS pixels wide, but the viewport is only 412 CSS pixels wide. The following elements fall outside the viewport:

- The element `TOP` falls outside the viewport.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<div></div>` is close to 4 other tap targets.
- The tap target `<div></div>` is close to 4 other tap targets.
- The tap target `<div></div>` is close to 6 other tap targets.
- The tap target `<div></div>` is close to 3 other tap targets.
- The tap target `<div></div>` is close to 3 other tap targets.
- The tap target `<div></div>` is close to 6 other tap targets.
- The tap target `<div></div>` is close to 3 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 4 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 4 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 2 other tap targets.
- The tap target `<div></div>` is close to 3 other tap targets.
- The tap target `<div></div>` is close to 5 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 2 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.

Mobile

- The tap target `<div></div>` is close to 6 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 3 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 2 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 3 other tap targets.
- The tap target `<div></div>` is close to 6 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 3 other tap targets.
- The tap target `<div></div>` is close to 3 other tap targets.
- The tap target `<div></div>` is close to 3 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `<div></div>` is close to 1 other tap targets.
- The tap target `Terms of Use` is close to 1 other tap targets.
- The tap target `<button type="button" class="gm-control-active"></button>` and 1 others are close to other tap targets.
- The tap target `<li class="slick-active">1` and 2 others are close to other tap targets.
- The tap target `<button id="slick-slide-control20" type="button" class="slickBtn">1</button>` is close to 3 other tap targets.
- The tap target `<button id="slick-slide-control21" type="button" class="slickBtn">2</button>` and 1 others are close to other tap targets.
- The tap target `ПОСМОТРЕТЬ BCE` is close to 1 other tap targets.



3 Passed Rules

Mobile

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).


Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



73 / 100 Speed

! Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources and 4 blocking CSS resources. This causes a delay in rendering your page.

Desktop

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://betonpsk.ru/wp-content/cache/busting/1/wp-includes/js/jquery/jquery-1.12.4-wp.js>
- <https://maps.googleapis.com/maps/api/js?v=3&key=AlzaSyDySGE4EC6WXq4w0DZD4EI5-3FYnfWL3fA&ver=4.17.1>

[Optimize CSS Delivery](#) of the following:

- <https://betonpsk.ru/wp-content/cache/min/1/e44c81f53c6ffe76b4a1284b1ab21f2d.css>
- <https://fonts.googleapis.com/css?family=Open+Sans%3A300%2C300italic%2Cregular%2Citalic%7CMontserrat%3Aregular%2C700&ver=5.2.5>
- <https://fonts.googleapis.com/css?family=Open+Sans%3A300%2C300italic%2Cregular%2Citalic%7CMontserrat%3Aregular%2C700&ver=5.2.5>
- <https://betonpsk.ru/wp-content/cache/min/1/e44c81f53c6ffe76b4a1284b1ab21f2d.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 198.4KiB (45% reduction).

- Compressing <https://betonpsk.ru/wp-content/uploads/2019/10/orig.jpg> could save 148KiB (43% reduction).
- Compressing https://betonpsk.ru/wp-content/uploads/2019/03/thumbnail_789323_580x3070.jpg could save 19.1KiB (41% reduction).
- Compressing and resizing https://betonpsk.ru/wp-content/uploads/2019/11/320_https___s3.amazonaws.com_sto-d14a42b5a420a3ba20.jpg could save 12.1KiB (81% reduction).
- Compressing and resizing https://betonpsk.ru/wp-content/uploads/2019/11/img_1361.jpeg could save 9.1KiB (75% reduction).
- Compressing and resizing <https://betonpsk.ru/wp-content/uploads/2019/10/22.jpg> could save 3.2KiB (66% reduction).

Desktop

- Compressing and resizing <https://betonpsk.ru/wp-content/uploads/2019/11/images.jpg> could save 3.2KiB (59% reduction).
- Compressing <https://betonpsk.ru/wp-content/uploads/2019/11/logo333.png> could save 1.9KiB (34% reduction).
- Compressing and resizing <https://betonpsk.ru/wp-content/uploads/2019/10/55.jpg> could save 1.9KiB (54% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=UA-134328005-4> (15 minutes)
- https://connect.facebook.net/en_US/sdk.js (20 minutes)
- <https://maps.googleapis.com/maps/api/js?v=3&key=AlzaSyDySGE4EC6WXq4w0DZD4EI5-3FYnfWL3fA&ver=4.17.1> (30 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 671B (39% reduction).

Desktop

- Minifying https://connect.facebook.net/en_US/sdk.js could save 671B (39% reduction) after compression.

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 6% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: snapshot:4



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Desktop

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).