


PageSpeed Insights

Mobile



54 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 5 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://sudebnyypristav.info/wp-includes/js/jquery/jquery.js?ver=1.12.4-wp>
- <https://sudebnyypristav.info/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <https://sudebnyypristav.info/wp-content/themes/mh-newsdesk-lite/js/scripts.js?ver=5.3.2>
- <https://api-maps.yandex.ru/1.1/index.xml>

Mobile

- https://api-maps.yandex.ru/1.1/_YMaps.js?v=0.1.2

[Optimize CSS Delivery](#) of the following:

- <https://sudebnyypristav.info/wp-includes/css/dist/block-library/style.min.css?ver=5.3.2>
- <https://sudebnyypristav.info/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.1.6>
- <https://sudebnyypristav.info/wp-content/plugins/table-of-contents-plus/screen.min.css?ver=2002>
- <https://fonts.googleapis.com/css?family=Oswald:400,700,300|PT+Serif:400,400italic,700,700italic>
- <https://sudebnyypristav.info/wp-content/themes/mh-newsdesk-lite/includes/font-awesome.min.css>
- <https://sudebnyypristav.info/wp-content/themes/mh-newsdesk-lite/style.css?ver=5.3.2>
- https://api-maps.yandex.ru/1.1/_YMaps.css?v=0.1.2

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 12.5KiB (83% reduction).

- Compressing <https://geo-db.legalaxy.com/detected-cities/?uselp=1> could save 11.4KiB (91% reduction).
- Compressing <https://sudebnyypristav.info/phone.svg> could save 944B (48% reduction).
- Compressing <https://s.w.org/images/core/emoji/12.0.0-1/svg/1f4de.svg> could save 135B (35% reduction).

Mobile

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://warehouse.pravoved.ru/api/v1/events> (expiration not specified)
- <https://www.google.com/recaptcha/api.js?render=6Lc8q6MUAAAACUzbQnFu7r5M-B87hBFZQvb7LzT&ver=3.0> (5 minutes)
- https://www.google.com/recaptcha/api2/webworker.js?hl=en&v=v1QHzzN92WdopzN_oD7bUO2P (5 minutes)
- <https://www.googletagmanager.com/gtag/js?id=UA-156583831-1> (15 minutes)
- <https://tpc.googlesyndication.com/sodar/sodar2.js> (50 minutes)
- <https://www.googletagservices.com/activeview/js/current/osd.js?cb=%2Fr20100101> (50 minutes)
- https://www.googletagservices.com/activeview/js/current/osd_listener.js?cache=r20110914 (50 minutes)
- <https://an.yandex.ru/system/context.js> (60 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Reduce server response time

In our test, your server responded in 0.33 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 1.4KiB (20% reduction).

- Minifying <https://sudebnyypristav.info/wp-content/themes/mh-newsdesk-lite/style.css?ver=5.3.2> could save 1.4KiB (20% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 323B (17% reduction).

- Minifying <https://xn--b1afbxh8ayd.xn--p1ai/widget/fat-green/checkself/MTI3Mzg=> could save 323B (17% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.6KiB (27% reduction).

- Minifying <https://api-maps.yandex.ru/1.1/index.xml> could save 944B (47% reduction) after compression.
- Minifying <https://sudebnyypristav.info/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.1.6> could save 653B (17% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 14.8KiB (74% reduction).

- Compressing <https://xn--b1afbxh8ayd.xn--p1ai/3274e2700073d3df6e23226e41b2ee8/images/logo-dark.png> could save 14.3KiB (89% reduction).
- Compressing <https://s0.widgets.my.feedot.com/images/avatars/8.jpg> could save 257B (14% reduction).
- Compressing <https://xn--b1afbxh8ayd.xn--p1ai/3274e2700073d3df6e23226e41b2ee8/images/logo.png> could save 214B (11% reduction).



2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

84 / 100 User Experience



Should Fix:

Mobile

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `ЮРИСТ ПО ПРИСТАВАМ` and 3 others are close to other tap targets final.
- The tap target `+7 499 938-53-76` and 2 others are close to other tap targets final.
- The tap target `Алтайский край` and 159 others are close to other tap targets final.
- The tap target `Посмотреть пример` is close to 1 other tap targets.
- The tap target `Terms` is close to 2 other tap targets final.
- The tap target `<div id="abgc" class="abgc"></div>` is close to 1 other tap targets.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport


Mobile

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



76 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 5 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://sudebnyypristav.info/wp-includes/js/jquery/jquery.js?ver=1.12.4-wp>
- <https://sudebnyypristav.info/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <https://sudebnyypristav.info/wp-content/themes/mh-newsdesk-lite/js/scripts.js?ver=5.3.2>

Desktop

- <https://api-maps.yandex.ru/1.1/index.xml>
- https://api-maps.yandex.ru/1.1/_YMaps.js?v=0.1.2

[Optimize CSS Delivery](#) of the following:

- <https://sudebnyypristav.info/wp-includes/css/dist/block-library/style.min.css?ver=5.3.2>
- <https://sudebnyypristav.info/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.1.6>
- <https://sudebnyypristav.info/wp-content/plugins/table-of-contents-plus/screen.min.css?ver=2002>
- <https://fonts.googleapis.com/css?family=Oswald:400,700,300|PT+Serif:400,400italic,700,700italic>
- <https://sudebnyypristav.info/wp-content/themes/mh-newsdesk-lite/includes/font-awesome.min.css>
- <https://sudebnyypristav.info/wp-content/themes/mh-newsdesk-lite/style.css?ver=5.3.2>
- https://api-maps.yandex.ru/1.1/_YMaps.css?v=0.1.2



Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 12.6KiB (82% reduction).

- Compressing <https://geo-db.legalaxy.com/detected-cities/?uselp=1> could save 11.4KiB (91% reduction).
- Compressing <https://sudebnyypristav.info/phone.svg> could save 944B (48% reduction).
- Compressing <https://s.w.org/images/core/emoji/12.0.0-1/svg/1f4de.svg> could save 135B (35% reduction).
- Compressing <https://yandex.ru/set/s/rsya-tag-users/data?referrer=https%3A%2F%2Fsudebnyypristav.info%2F> could save 134B (35% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://warehouse.pravoved.ru/api/v1/events> (expiration not specified)
- <https://www.google.com/recaptcha/api.js?render=6Lc8q6MUAAAACUzbQnFu7r5M-B87hBFZQvb7LzT&ver=3.0> (5 minutes)
- https://www.google.com/recaptcha/api2/webworker.js?hl=en&v=v1QHzzN92WdopzN_oD7bUO2P (5 minutes)
- <https://yandex.ru/set/s/rsya-tag-users/data?referrer=https%3A%2F%2Fsudebnyypristav.info%2F> (5 minutes)
- <https://www.googletagmanager.com/gtag/js?id=UA-156583831-1> (15 minutes)
- <https://tpc.googlesyndication.com/sodar/sodar2.js> (50 minutes)
- <https://www.googletagservices.com/activeview/js/current/osd.js?cb=%2Fr20100101> (50 minutes)
- <https://an.yandex.ru/system/context.js> (60 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)
- <https://mc.yandex.ru/metrika/watch.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- https://www.googleadservices.com/pagead/conversion_async.js (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Minify CSS

Desktop

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 1.4KiB (20% reduction).

- Minifying <https://sudebnyypristav.info/wp-content/themes/mh-newsdesk-lite/style.css?ver=5.3.2> could save 1.4KiB (20% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 325B (17% reduction).

- Minifying <https://xn--b1afbxh8ayd.xn--p1ai/widget/fat-green/checkself/MTI3Mzg=> could save 325B (17% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.6KiB (27% reduction).

- Minifying <https://api-maps.yandex.ru/1.1/index.xml> could save 944B (47% reduction) after compression.
- Minifying <https://sudebnyypristav.info/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.1.6> could save 653B (17% reduction) after compression.

Optimize images

Desktop

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 14.8KiB (74% reduction).

- Compressing <https://xn--b1afbxh8ayd.xn--p1ai/3274e2700073d3dfe6e23226e41b2ee8/images/logo-dark.png> could save 14.3KiB (89% reduction).
- Compressing <https://s0.widgets.my.feedot.com/images/avatars/8.jpg> could save 257B (14% reduction).
- Compressing <https://xn--b1afbxh8ayd.xn--p1ai/3274e2700073d3dfe6e23226e41b2ee8/images/logo.png> could save 214B (11% reduction).



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).